

(18a) Mortalidad por suicidios, observada ^{1/}

Entidad federativa	Hombres	Mujeres	Total
E. U. M	6.75	1.37	4.05
Aguascalientes	8.64	2.62	5.56
Baja California	6.27	0.76	3.56
Baja California Sur	13.94	1.23	7.76
Campeche	12.97	2.61	7.86
Coahuila	9.99	1.03	5.54
Colima	6.08	1.35	3.72
Chiapas	5.00	1.23	3.12
Chihuahua	12.43	2.36	7.46
Distrito Federal	6.41	1.72	4.00
Durango	6.08	1.15	3.60
Guanajuato	6.98	1.85	4.34
Guerrero	4.39	0.85	2.61
Hidalgo	2.13	1.15	1.63
Jalisco	9.16	1.63	5.37
México	2.66	0.79	1.72
Michoacán	6.58	2.04	4.26
Morelos	3.87	1.04	2.45
Nayarit	6.95	1.22	4.11
Nuevo León	9.27	1.90	5.61
Oaxaca	5.64	1.01	3.28
Puebla	5.49	1.35	3.40
Queretaro	6.54	1.86	4.18
Quintana Roo	10.99	1.33	6.32
San Luis Potosí	7.32	1.56	4.40
Sinaloa	6.48	1.10	3.83
Sonora	12.04	1.22	6.71
Tabasco	15.68	2.52	9.13
Tamaulipas	8.80	0.70	4.77
Tlaxcala	4.70	2.59	3.64
Veracruz	4.76	0.92	2.82
Yucatán	12.97	1.77	7.36
Zacatecas	8.97	1.10	4.94

1/ Mortalidad observada por cada 100,000 habitantes. Fuente: Base de datos de las defunciones INEGI/SS y SEED 2005, Dirección General de Información en Salud, SS. Proyecciones de la Población 2000-2050 del CONAPO, 2002.